


REFERENCES & CONTACT INFORMATION



- Furdaneta@anest.ufl.edu
- @Furdaneta1
- @SAMHQGlobal

1- Growth of Nonoperating Room Anesthesia Care in the United States: A Contemporary Trends Analysis. *Anesth Analg* .2017 Apr;124(4):1261-1267.
<https://pubmed.ncbi.nlm.nih.gov/27918331/>

2- <https://www.cdc.gov/nchs/index.htm>

3- The future of nonoperating room anesthesia in the 21st century: emphasis on quality and safety *Current Opin Anaesthesiol* 2017 Dec;30(6):644-651.
<https://pubmed.ncbi.nlm.nih.gov/28984638/>

4- Management of Difficult Tracheal Intubation: A Closed Claims Analysis. *Anesthesiology* 10 2019, Vol.131, 818-829. <https://anesthesiology.pubs.asahq.org/article.aspx?articleid=2737619>

5- **Guidelines for Ambulatory Anesthesia and Surgery** (<https://www.asahq.org/standards-and-guidelines/guidelines-for-ambulatory-anesthesia-and-surgery>)

6- **The Difficult Airway Trolley: A Narrative Review and Practical Guide**

(Hindawi Anesthesiology Research and Practice Review Article | Open Access

Volume 2019 | Article ID 6780254 (<https://www.hindawi.com/journals/arp/2019/6780254/>)

7- **Human factors and the ‘next generation’ airway trolley** (Anaesthesia 2019, 74, 427–433)

<https://onlinelibrary.wiley.com/doi/full/10.1111/anae.14543>

8- **Practice Guidelines for Management of the Difficult Airway: An Updated Report by the American Society of Anesthesiologists Task Force on Management of the Difficult Airway** (Anesthesiology 02 2013, Vol.118, 251-270)

<https://anesthesiology.pubs.asahq.org/article.aspx?articleid=1918684>

9- **Capnographic Monitoring in Routine EGD and Colonoscopy With Moderate Sedation: A Prospective, Randomized, Controlled Trial**

American Journal of Gastroenterology: March 2016 - Volume 111 - Issue 3 - p 395-404

(https://journals.lww.com/ajg/Fulltext/2016/03000/Capnographic_Monitoring_in_Routine_EGD_and.26.aspx)

10- **Obstructive Sleep Apnea Increases the Risk of Cardiopulmonary Adverse Events**

Associated with Ambulatory Colonoscopy Independent of Body Mass Index. Dig Dis Sci. 2017

Oct; 62(10):2834-39 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5866848/>)

11- **The So-Called “Mayo Tube”.** Anesthesia and Analgesia May-June 1946 Vol 25 (3):125-26

(https://journals.lww.com/anesthesia-analgesia/Citation/1946/25030/The_So_Called_Mayo_Tube_.7.aspx)

12- **Comparison of a simplified nasal continuous positive airways pressure device with nasal cannula in obese patients undergoing colonoscopy during deep sedation.** European Journal of

Anaesthesiology: September 2019 - Volume 36 - Issue 9 - p 633-640

<https://pubmed.ncbi.nlm.nih.gov/31313720/>

13- **SuperNOVA nasal mask ventilation maintains oxygenation during deep sedation in high-risk patients: A case series.** Res Pract Anesthesiol Open J. 2018; 3(1): 15-19. doi:

10.17140/RPAOJ-3-119. <https://openventio.org/wp-content/uploads/SuperNOVA-Nasal-Mask-Ventilation-Maintains-Oxygenation-during-Deep-Sedation-in-High-Risk-Patients-A-Case-Series-RPAOJ-3-119.pdf>

14-Kozinn R, Kim J, Kwan L, Feinleib J. A Nasal Ventilation Mask for a Morbidly Obese Patient with OSA and Atrial Fibrillation undergoing Cardioversion. J Cardiothorac Vasc Anesth. 2018 Apr;32(2) 945-947. <https://pubmed.ncbi.nlm.nih.gov/29336970/>

15-Continuous positive airway pressure and ventilation are more effective with a nasal mask than a full face mask in unconscious subjects: a randomized controlled trial. Crit Care, 2014. 17(6): p. R300. <https://pubmed.ncbi.nlm.nih.gov/24365207/>

16-Comparison of a simplified nasal continuous positive airways pressure device with nasal cannula in obese patients undergoing colonoscopy during deep sedation. European Journal of Anaesthesiology, 2019. 36(9): p. 633-640. <https://pubmed.ncbi.nlm.nih.gov/31313720/>

17-Evaluation of SuperNO 2 VA™ mask technology in a clinical setting: A pilot study. Trends in Anaesthesia and Critical Care, 2017. 16: p. 54-61. <https://www.sciencedirect.com/science/article/pii/S2210844017301715>

